



WOODLANDS
COLLECTION
—
4 MM



Luxury vinyl flooring

you can transform your space into a blend of elegance and practicality. Designed to replicate the timeless beauty of natural wood and stone, it offers unmatched durability, being scratch-resistant and waterproof, while ensuring effortless maintenance. Its soft, warm touch underfoot adds a layer of comfort, making every step a delightful experience. Choose flooring that reflects your unique personality and style. Step up, stand out, and make your space extraordinary with luxury vinyl flooring."



WOODEN FINISH

OAK HONEY



OAK HONEY



OAK NATURAL



MONTREAL OAK



EPIC OAK



PEARL OAK



WILD OAK



MIDLAND OAK



KINGSTONE



ASH WALNUT



ETHINIC BROWN



METALLIC GREY



PEPPERCORN



MEXICAN ASH



SNOW WHITE



HERRINGBONE FINISH


DARK GREY



DARK GREY




PALE OAK



NUTMEG



TAN



BLACK WALNUT



CONCRETE FINISH

SAND STONE



SAND STONE



CREAM STONE



BLACK STONE

Sustainability at Its Core

The Woodlands Collection 4 mm LVT is crafted with eco-friendly materials that promote environmental responsibility without compromising durability or style. Its sustainable design reduces waste, offering a long-lasting flooring solution that aligns with modern eco-conscious living. Suitable for both residential and commercial spaces, it's a perfect blend of resilience and sustainability.

Appearance

CONSTRUCTION	PVC Laminated Floor
USE	Commercial & Residential
SIZE (mm)	Wooden Finish 180 x 1220 / Herringbone 127 x 612 / Concrete 300 x 600
WEAR LAYER	0.3mm/0.5mm
FINISH	Polyurethane/UV Coating
GAUGE	4.0mm/5.0mm
Box Size	Wooden Finish 2.64 sq m / Herringbone 2.02 sq m / Concrete 2.16 sq m
PIECES/BOX	12 pcs/box
COVERAGE/BOX	2.635 sq. m
LIMITED WARRANTY	20 Year Residential

Classification

STATIC ELECTRICAL PROPENSITY	EN 1081	PASS
SLIP RESISTANCE WET	EN 433	0.6mm EN 433; PVC Laminated Floor Covering; RZ Surface Roughness: Moderate
WEAR GROUP	NF 189	T
TYPE BINDER CONTENT	EN ISO 10582	I
DIMENSIONAL STABILITY	EN 434	≤ 6
RESIDUAL INDENTATION	EN 433	≤ 0.10mm
CASTOR CHAIR TEST	ISO 4918 (EN 425)	OK
FIRE RESISTANCE	EN 13501-1	Bfl-S1
HEAT STABILITY		0.33mm/0.01 (80°C ± 2°C, 6hr/hr)
THERMAL CONDUCTIVITY	EN ISO 10456 (EN 12 524)	
FORMALDEHYDE EMISSION	EN 717-1	Class E0: 0mg/m ³
COLOR FASTNESS	ISO 105B02	≥ 6
FLEXIBILITY	EN 435	No crack was found
CHEMICAL PRODUCTS RESISTANCE	EN 423	PASS

Expansion Control

Designed to minimize expansion and contraction, the Woodlands Collection 4 mm LVT maintains flawless stability across varying temperatures and humidity levels. This ensures a smooth, even surface free from issues like warping or buckling, making it ideal for high-traffic areas and spaces with fluctuating conditions.

To learn more, visit:
ECOFLOORCARPET.AE



Contact Us

Are you looking for more information about our floors or our service? Our team is ready to answer your questions.



+971 4 583 7047



info@ecofloorcarpet.ae



Nastaran Tower - Office 401 - Jaddaf
Waterfront - Dubai